

COLORI
COLOURS
COULEURS
FARBEN



Cap Martin

Biarritz


Deauville

Cannes

Menton

les plages

FORMATI & SPESSORI
 SIZES & THICKNESS
 FORMATS & ÉPAISSEURS
 FORMATE & STÄRKEN



cm 45 x 90
 18" x 36"

cm 15 x 90
 6" x 36"

cm 30 x 60
 12" x 24"

cm 15 x 60
 6" x 24"

cm 10 x 60
 4" x 24"

Spessori
 Thickness
 Épaisseurs
 Stärken

mm 10,5

mm 10,5

mm 9,5

mm 9,5


mm 9,5

Pezzi speciali Trims
 Accessoires Formstücke



Battiscopa Bullnose Plinthe à bord arrondi Stehsockel

cm 9 x 60 - 3 1/2" x 24"













Gradino Step tread Nez de marche Stufenplatte

cm 30 x 60 - 12" x 24"








CARATTERISTICHE TECNICHE
 TECHNICAL FEATURES
 CARACTÉRISTIQUES TECHNIQUES
 TECHNISCHE EIGENSCHAFTEN



	norma standards norme Norm	risultato prova* test results* resultats des essais* Ergebnisse*
 classificazione prodotto product classification classement Klassifizierung	UNI EN 14411 ISO 13006	gruppo B1a completamente greificato GL group B1a fully vitrified GL group B1a grès cérame fin GL Gruppe B1a Feinsteinzeug GL
 caratteristiche dimensionali e d'aspetto dimensional and surface quality caractéristiques de la surface Oberflächenqualität	UNI EN ISO 10545-2	tolleranze minime nella 1 ^a scelta very low tolerance des tolérances minimales en 1er choix Entspricht Normen
 assorbimento di acqua water absorption absorption d'eau Wasseraufnahme	UNI EN ISO 10545-3	≤ 0,1%
 resistenza alla flessione flexural strenght résistance a la flexion Biegezug-Festigkeit	UNI EN ISO 10545-4	N/mm ² 50÷60
 resistenza al gelo frost resistance résistance au gel Frostwiderstandsfähigkeit	qualsiasi norma all standards toute norme Alle normen	garantita guaranteed garantie Frostsicher
 resistenza attacco chimico (esclusione acido fluoridrico) resistance to acids and alkalis (with the exception of hydrofluoric acid) résistance à l'attaque chimique (exclusion de l'acide fluorhydrique) Säure und Laugen Beständigkeit (mit Ausnahme von Fluorwasserstoff)	UNI EN ISO 10545-13	nessuna alterazione no damage non attaquées Nicht angegriffen
 resistenza usura e abrasione wear and abrasion resistance résistance à l'usure et abrasion Abriebhärte		alta high haute Hoch
 dilatazione termica lineare linear thermal expansion coefficient linéaire de dilatation thermique Lineare Wärmeausdehnung	UNI EN ISO 10545-8	6,6 x 10 ⁻⁶
 resistenza alle macchie stain resistance résistance aux taches Fleckenfestigkeit		garantita guaranteed garantie garantiert
 resistenza dei colori alla luce light fastness résistance de la couleur à la lumière Unveränderlichkeit der Farben wenn Strahlung zugesetzt wird	DIN 51094	nessuna variazione no change of colours couleurs inchangées Keinerlei Farbänderung

*valore indicativo approx value donnee approximative Ungefähre Werte

PESI, MISURE E CONTENUTO DEI COLLI
 WEIGHT, SIZE AND CONTENTS OF THE PACKING
 POIDS, DIMENSIONS, CONTENU DES COLIS
 VERPACKUNGSGRÖßEN/GEWICHTE

							
cm 45 x 90 - 18" x 36"	10,5	3	1,215	25	30	36,45	911
cm 15 x 90 - 6" x 36"	10,5	6	0,81	25	48	38,88	972
cm 30 x 60 - 12" x 24"	9,5	6	1,08	21,6	48	51,84	1120
cm 15 x 60 - 6" x 24"	9,5	12	1,08	21,6	40	43,20	933
cm 10 x 60 - 4" x 24"	9,5	18	1,08	21,6	48	51,84	1120

Battiscopa

Bullnose

Plinthe à bord arrondi

Stehsockel

cm 9 x 60 - 3 1/2" x 24"	18
--------------------------	----

Gradino

Step tread

Nez de marche

Stufenplatte

cm 30 x 60 - 12" x 24"	6
------------------------	---

e-Ceramica
Contact us for wholesale prices or cooperation:
Zoran Milić
E-mail: info@e-ceramica.com

Mobile : + 386 41 684 696
Telephone : + 386 2 780 54 90
Fax : + 386 2 779 76 61

Merilly d.o.o. ; Vodnikova ulica 2 ; Si 2250 Ptuj ; Slovenia ; EU

Web : · Americas

[Ceramic tiles in Argentina](#)
[Ceramic tiles in Bahamas](#)
[Ceramic tiles in Bolivia](#)
[Ceramic tiles in Canada](#)
[Ceramic tiles in Chile](#)
[Ceramic tiles in Colombia](#)
[Ceramic tiles in Costa Rica](#)
[Ceramic tiles in Cuba](#)
[Ceramic tiles in Ecuador](#)
[Ceramic tiles in El Salvador](#)
[Ceramic tiles in Guatemala](#)
[Ceramic tiles in Honduras](#)
[Ceramic tiles in Jamaica](#)
[Ceramic tiles in México](#)
[Ceramic tiles in Nicaragua](#)
[Ceramic tiles in Panamá](#)
[Ceramic tiles in Paraguay](#)
[Ceramic tiles in Perú](#)
[Ceramics in Re. Dominicana](#)
[Ceramics in Trin. & Tobago](#)
[Ceramic tiles in Uruguay](#)
[Ceramic tiles in USA](#)
[Ceramic tiles in Venezuela](#)

· Europe

[Ceramic tiles in BIH](#)
[Ceramic tiles in Crna Gora](#)
[Ceramic tiles in España](#)
[Ceramic tiles in France](#)
[Ceramic tiles in Germany](#)
[Ceramic tiles in Hrvatska](#)
[Ceramic tiles in Ireland](#)
[Ceramic tiles in Kosove](#)
[Ceramic tiles in Liechtenstein](#)
[Ceramic tiles in Magyarország](#)
[Ceramic tiles in Македонија](#)
[Ceramic tiles in Maqedoni](#)
[Ceramic tiles in Malta](#)
[Ceramic tiles in Österreich](#)
[Ceramic tiles in Russia](#)
[Ceramic tiles in Schweiz](#)
[Ceramic tiles in Suisse](#)
[Ceramic tiles in Shqiperi](#)
[Ceramic tiles in Slovenija](#)
[Ceramic tiles in Србија](#)
[Ceramics in United Kingdom](#)

· Asia

[Ceramic tiles in India](#)
[Ceramic tiles in Pakistan](#)
[Ceramic tiles in Philippines](#)
[Ceramic tiles in Singapore](#)
[Ceramic tiles in Turkiye](#)

· Africa & Australia

[Ceramic tiles in Australia](#)
[Ceramic tiles in Cameroon](#)
[Ceramic tiles in Ghana](#)
[Ceramics in Guinea Ecuatorial](#)
[Ceramic tiles in Swaziland](#)
[Ceramic tiles in New Zealand](#)
[Ceramic tiles in Nigeria](#)